MFC-9000 Series Color Laser Multi-Function Center®





MFC-9440cN

MFC-9840cow

Convenience, by design.



Convenient flatbed design – plus an auto-document feeder

For making copies or scans of odd-sized documents, and bound items such as magazines and reports, a flatbed document glass is ideal. The MFC-9440cN and the MFC-9840cDW provide this copying and scanning convenience. The top cover on both models lifts up to accommodate bulkier materials such as books and magazines.

Both all-in-ones feature an auto-document feeder for legal or letter documents. This is particularly helpful when you have to send multiple-page faxes, make multi-page copies, or have a large number of documents to scan.





Paper-handling versatility and convenience

The MFC-9440cN and the MFC-9480cDW arrive with a 250-sheet paper tray (easily adjustable for letter or legal-size paper), and a 50-sheet, fold-down multi-purpose tray that is ideal for feeding individual sheets of letterhead or for printing envelopes.

If you need additional paper capacity, both models accept an optional second 500-sheet paper tray (LT-100CL)[‡].





Front-loading design and low operating costs

The MFC-9000 Series feature a front-loading design that makes toner cartridge replacement simple and easy. The four color coded toner cartridges easily slide in and out of the machine, allowing users to quickly replace the used toner cartridges with minimal effort.

These machines also arrive with a set of standard yield toner cartridges that deliver an economical cost per page. For users with higher volume printing requirements who are looking to achieve even lower running costs, high-yield replacement toner cartridges are also available.

True all-in-one versatility

With either the MFC-9440cn or the MFC-9840cpw, you'll be ready to handle virtually all the office printing, copying, scanning and faxing needs you have now, and gain powerful tools to help you take your business to the next level.

- Color and mono laser printing Fast, rich color and black and white, at up to 21ppm.
- Color and mono copying No PC required … use the flatbed glass or the auto document feeder for quick copies at up to 17cpm.
- Color scanning Super high-resolution scanning, plus a variety of scan-to features such as scan-to-E-mail, scan-to-image, scan-to-OCR, scan-to-FTP and scan-to-file.
- Color and mono faxing Professional features and performance include a built-in high-speed 33.6K bps fax modem, over 300 autodial locations, fax broadcasting and more – with or without a PC.



The MFC-9440cN and MFC-9840cDW from Brother® are the ideal space-saving solutions for busy offices and small connected workgroups that need versatile all-in-ones for fast color print and copy speeds, high-resolution color scanning, and high-performance faxing.

The MFC-9440cN and MFC-9840cDW color laser all-in-ones enhance the productivity of any office with their great color output, comprehensive feature set, and reliable performance

that makes short work of the most demanding projects. Their ease of use and attractive low total cost of ownership is sure to win over both your accountant and technical support team, too.

Meanwhile, you'll experience increased productivity and efficiency—plus more professional-looking presentations, proposals and reports in brilliant color that can help build your business.

Auto-Document Feeder

Copy, scan or fax multi-page documents easily

Built-in Ethernet & Hi-Speed USB 2.0 Interfaces (Wireless on the MFC-9840cpw)



VSB Direct Interface and PictBridge Compatible
Print JPEG and PDF files directly from a USB flash memory drive*



Flatbed Copying & Scanning Convenient for making a quick copy or scanning a document

> High-Quality Color Output Up to 2400 x 600 dpi



300-Sheet Paper Capacity 250-sheet letter/legal paper tray and 50-sheet multi-purpose tray







The features and performance you need.

Blazing fast print and copy speeds, with great color and mono print quality.

MFC-9440cn

Network-ready Color Laser All-In-One

The MFC-9440cN offers breathtaking color and razor-sharp monochrome output. It also features fast print and copy speeds, flatbed copying and scanning, and an up to 35-page auto-document

24.00 PP 2400x600dpi

feeder for multi-page documents. And of course, it provides the exceptional faxing features you'd expect from Brother, a world leader in fax solutions.

Its built-in USB Direct interface enables you to print PDF and JPEG files from – or scan files to – a USB flash memory drive*, without being connected to a computer. The USB interface also facilitates printing directly from PictBridge-enabled cameras.



The MFC-9440cN gives you the flexibility to connect either locally, or to your network, via its built-in Ethernet network and Hi-Speed USB 2.0 interfaces**.



MFC-9840cDW Color Laser All-In-One with Wireless and Duplex

The MFC-9840cpw includes all the features of the MFC-9440cn, plus several major enhancements. Along with a 5-line LCD display, the MFC-9840cpw also provides a larger, legal-size (8.5" x 14") flatbed document glass for copying and scanning. It also offers a larger capacity auto document feeder – up to 50 pages.

The MFC-9840cpw also includes built-in automatic duplex capability for two-sided printing, copying, scanning[†], and faxing. This can significantly cut your paper costs when printing and copying two-sided documents, plus provide a more professional look.





Finally, the MFC-9840cpw includes a built-in wireless 802.11b/g interface, in addition to its built-in Ethernet network and Hi-Speed USB 2.0 interfaces**.



Advanced features of the MFC-9840cpw

Automatic duplex features



The MFC-9840cpw includes automatic duplex (two-sided) printing, copying, scanning and faxing. This feature can help reduce paper costs, while giving you the ability to create professional two-sided documents for reports, proposals and other materials, quickly and easily.

Walk-up access to LDAP network address books

Save time and reduce errors with instant direct access through your network connected MFC-9840cpw to a virtually infinite number of E-mail and fax addresses stored in your LDAP network address books. Simply use the 5-line LCD display on the MFC-9840cpw

control panel to locate, view, and select the contacts stored in your LDAP network address books. Sending documents electronically to others on your network could not be easier.



Enhanced scan-to-FTP-server features

Scan documents and images and post them to FTP sites directly through your network-connected all-in-one**. It's ideal if you often post files to FTP sites for easy retrieval and download by permitted users inside your firm, perhaps in



remote locations, or by corporate partners, such as clients, vendors, agents and others. Multiple FTP server profiles can store specific sites and folder locations, access codes, and scanning preferences for your frequently used FTP locations, cutting time spent and potential errors.

Scan to other fax-server applications

If you employ a leading network-based fax-server application in your enterprise, the MFC-9840cpw can be set up as a document scanning device to work with it. Transmission of your faxes will then take place through your preferred network-based fax-server application, rather than through its built-in fax modem.



Secure function lock

Walk-up copying, scanning, and faxing are all great conveniences. However, you may want to limit access to select features, especially if you are handling confidential records and data, or to restrict access to printing to keep your operating costs down. So the MFC-9840cpw provides the ability for your administrator to set various levels of password-protected access to certain features, for each of up to 25 different users per machine.



Copy Only

All Features

Wireless and Ethernet interfaces on the MFC-9840cpw

For the ultimate in connectivity, the MFC-9840cpw includes built-in wireless 802.11b/g and Ethernet interfaces**. This gives you the widest range of connection options, and great flexibility for all your wireless as well as wired users.

Connection possibilities with the MFC-9840cpw:



Technical Specifications					
		MFC-9440cn	MFC-9840cdw		
Print	Printing Method	Electrophotographic (single pass laser)			
	Maximum Print Speed	Up to 21ppm color and monochrome			
	Print Resolution	Up to 2400 x 600 dpi			
	Emulations	PCL®6, BR-Script 3"			
	Automatic Duplex Printing	No Yes			
	Standard Interface(s)**	USB, PictBridge, USB Direct, Ethernet	USB, PictBridge, USB Direct, Wireless 802.11b/g and Ethernet		
	Windows® Compatibility	Windows Vista® / XP / XP	x64 / 2000 / Server 2003 [□]		
	Mac® Compatibility*	Mac OS® X 10.2.4 or greater			
Fax	Modem Speed / Best Transmit Speed*	33.6K bps Super G3 / Approx. 2 sec. (per page)			
	Stand-alone Color or B/W Faxing	Yes			
	Memory (std. / max [‡] .)	64MB (stores up to 500 pages*) / 576MB	128MB (stores up to 500 pages*) / 640MB		
	Broadcasting (# of locations) ^{††}	Up to 366	Up to 390		
	Quick Scan ^{††}	Approx. 2	Approx. 2 sec. / page		
	Fax Forwarding ^{††} & Paging	Υ	es		
	Dual Access ^{††}	Yes			
	One Touch / Speed Dials	16 / 300	40 / 300		
	Fax Compatibility	ITU-T	Group 3		
Сору	Stand-alone Color or B/W Copying	Yes			
	Copy Speed	Up to 17cpm color and monochrome 1200 x 600 dpi Up to 99			
	Copy Resolution (max. dpi)				
	Multi-copying				
	Automatic Duplex Copying	No	Yes		
	Sorting Function	Yes 25% - 400% in 1% increments			
	Reduction / Enlargement				
	Document Glass Size	Letter	Legal		
Scan	Color & B/W Scanning	Υ	es		
	Automatic Duplex Scanning	No	Yes [†]		
	Optical Resolution (max. dpi)	1200 x	2400 dpi		
	Interpolated Resolution (max. dpi)	19200 x 19200 dpi			
	Scanning Profile Sets	Yes ScanSoft® PaperPort® 11SE with OCR by NUANCE™ Software for Windows® and Presto!® PageManager® 7 for Mac®			
	Document Viewer / OCR Software				
USB	Print & Scan from / to USB Flash Memory Drive	Yes			
Direct	PictBridge Support	Yes			
Interface	File Formats	PDF Ver 1.6, JPEG			
Paper	Standard Paper Capacity	300-sheets via 250-sheet paper tray and 50-sheet multipurpose tray			
Handling	Optional Paper Capacity [‡]	Up to 800-sheet total capacity via 500-sheet paper tray			
	Output Tray Capacity	150 sheets (face down)			
	Automatic Document Feed Capacity (ADF)	35 pages	50 pages		
Network	Built-in Network Interface	Ethernet	Ethernet and 802.11b/g		
	Network Compatibility	TCP/IP, Apple®'s Simple	e Network Configuration		
	Network Functionality*	Print, Scan and PC Fax	Print, Scan, PC Fax and I-Fax		
Other	PC Fax Software*#	Υ	es		
	Display (LCD)	2 line, 16 characters	5 line, 22 characters		
	Unit Dimensions (W"xD"xH")	17" x 19.2" x 19"	20.9" x 21" x 20.5"		
	Carton Dimensions (W"xD"xH")	22.4" x 24" x 28.1"	26.1" x 26.2" x 28.9"		
	Unit Weight / Carton Weight (lbs.)	72.6 lbs / 85 lbs	83.2 lbs / 100.76 lbs		
	UPC Code	0 12502 61830 0	0 12502 61874 4		

Supported Operating Systems and Software Functions									
Operating System		Supported Functions	Interface	Minimum Processor	Recommended Ram	Required Hard Disk Space			
Windows®	Windows® 2000 Professional ⁴ Windows® XP Home ⁴ Windows® XP Professional ⁴	Printing, PC Fax³, Scanning¹	USB, Ethernet, Wireless 802.11b/g ^s	Intel® Pentium® or AMD equivalent	256 MB	460 MB			
	Windows Vista®			Intel® Pentium® 4 64-bit CPU or AMD equivalent	1 GB	1 GB			
	Windows Server® 2003	Printing	Ethernet, Wireless 802.11b/g ⁵	Intel® Pentium® III or AMD equivalent		50 MB			
	Windows®XP Professional x64 Edition	Printing, PC Fax³, Scanning¹	USB, Ethernet, Wireless 802.11b/g ⁵	AMD Opteron [™] , AMD Athlon [™] 64, Intel [®] Xeon [®] with Intel [®] EM64T, Intel [®] Pentium [®] 4 with Intel [®] EM64T or equivalent	512 MB	460 MB			
	Windows Server® 2003 x64 Edition	Printing	Ethernet, Wireless 802.11b/g ⁵			50 MB			
Macintosh®	Mac OS®X 10.2.4 or greater	Printing, PC Fax Send ³ , Scanning	USB ² , Ethernet, Wireless 802.11b/g ⁵	PowerPC G4/G5, Intel Core Solo/Duo, PowerPC G3 350MHz	160 MB	480 MB			

- Conditions:

 1. For WIA, 1200 x 1200 resolution. Brother Scanner Utility enables to enhance up to 19200 x 1920 dpi.

 2. Third party USB ports are not supported.

 3. PFE as supports black and white only.

 4. PaperPort 11SE supports Microsoft* SP4 or higher for Windows*2000 and SP2 or higher for XP.

 For the latest driver updates, visit www.scherc.com. Windows Vates is a register trademark

 of Microsoft Corporation. All other trademarks, brand and product names are property of their

- respective companies.
 Wireless 802.11b/g only available on the MFC-9840cow model.

MFC-9000 Series Color Laser All-in-Ones





These powerful color laser all-in-ones combine print, copy, scan, fax and PC fax features in a sleek, office-friendly design. Delivering vibrant color output at impressive print and copy speeds, these workhorses fit in any busy office or workgroup. Experience outstanding color quality, fast output speeds, powerful features and low operating costs with the new MFC-9000 Series from Brother.


Key Features at a Glance:

MFC-9440cn



- Color and monochrome printing up to 21ppm
- Rich color output at up to 2400 x 600 dpi
- Color and monochrome copying up to 17cpm
- Up to 35-page automatic document feeder
- 64MB memory standard
- 2-line LCD display
- 16 One-Touch locations
- Ethernet and Hi-Speed USB 2.0 interfaces





- Wireless 802.11b/g interface
- Automatic duplex print/copy/fax/scan[†]
- Legal-size document glass
- Up to 50-page automatic document feeder
- 128MB memory standard
- 5-line LCD display
- 40 One-Touch locations







Supplies and Accessories[‡]



	GENU
TN-110BK:	Std. yield black toner cartridge (2,500 pgs)▼
TN-110C:	Std. yield cyan toner cartridge (1,500 pgs)▼
TN-110Y:	Std. yield yellow toner cartridge (1,500 pgs)▼
TN-110M:	Std. yield magenta toner cartridge (1,500 pgs)▼
TN-115BK:	High yield black toner cartridge (5,000 pgs) [▼]
TN-115C:	High yield cyan toner cartridge (4,000 pgs)▼
TN-115Y:	High yield yellow toner cartridge (4,000 pgs)▼
TN-115M:	High yield magenta toner cartridge (4,000 pgs)▼
DR-110CL:	Drum unit (approx. 17,000 pgs) [△]
BU-100CL:	Belt unit (approx. 50,000 pgs A4/letter)
WT-100CL:	Waste toner box (approx. 20,000 pgs at 5% coverage per

Optional 2nd 500-sheet paper tray

- USB flash memory drive not included

LT-100CL:

- Maximum letter size for ADF duplex scanning Additional purchase required
- Printing only
 See system requirements chart
- PostScript® 3™ compatible
- Based on Brother No. 1 Chart at standard resolution with JBIG coding
- Black and white only
- Approx. yield based on 5% coverage of letter size paper
 Drum yield is approximate and may vary
- based on type of use

© 2008 Brother International Corporation, 100 Somerset Corporate Blvd., Bridgewater, NJ 08807-0911. All trademarks, brand and product names are the property of their respective companies. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. All specifications subject to change without notice. Printed in USA. CATMFC9440/9840 11-08

